

Длиннорукавные швейные машины серий LLW, LLWN

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884


Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sob@nt-rt.ru || сайт: <https://seiko.nt-rt.ru/>

LLW / LLWH single needle series

High speed, Extra long (18 inch) arm, Large vertical axis hook, Compound feed and walking foot, Coarse stitch, Lockstitch machines



LLW-8BL/CS

Variety



LLW-8BL/CS

Reverse stitch




LLW-8BLC/CS

Reverse stitch, thread trimmer



LLWH-8BL/CS

Reverse stitch, high arm(47 mm extra height)



LLWH-8BL/CS

Applications

- For sewing medium to heavy weight fabrics, leather, vinyl, synthetics, laminated and coated materials.
- Suitable for canvas, tents, awnings, tarpaulins, upholstery, automotive trim, etc.



LLW / LLWH single needle series

Features

- 18 inch long arm.
- Large vertical axis hook.
- Semi-Automatic lubrication system.
- Automatic hook lubrication.
- Safety clutch prevents the hook from being damaged.
- Longer stitch length 10 mm (except thread trimming machine).
- Reverse stitching.
- Available in "Thick Thread Version"(for heavier material) add suffix "TA" when ordering.
- Synchronized cloth puller available (add suffix "R").
- Automatic back tack (BT) and foot lift (FL) available.
- Two needle version available.

Specifications (LLW-□)

Variety		8BL/CS	8BLC/CS	LLWH-8BL/CS
Number of needle		Single needle		
Max. sewing speed		2,200(s.p.m.)		2,000(s.p.m.)
Max. stitch length		25/64" (10 mm)	5/16" (8 mm)	25/64" (10 mm)
Clearance under presser foot	by knee	19/32" (15 mm)		
	by hand	5/16" (8 mm)		
Needle bar stroke		1-25/64" (35.4 mm)		
Needle(standard)		DPx17 (#22) , 135x17 (#140)		
Thread		#8 (standard)		
Hook		Large vertical axis hook		
Amount of lift of walking foot		3/32"-9/32" standard 9/64" (2.5 - 7 mm) (standard 3.5 mm)	1/8"-15/64" standard 5/32" (3 - 6 mm) (standard 4 mm)	3/32"-9/32" standard 9/64" (2.5 - 7 mm) (standard 3.5 mm)
Thread take up lever		Slide type		
Lubrication		Semi-Automatic lubrication		
Bed size		28-17/64" x 7" (718 x 177 mm)		
Working space		18-1/32" x 4-21/64" (458 x 110 mm)		18-1/32" x 6-3/16" (458 x 157 mm)
Motor		Clutch motor	AC Servo motor	Clutch motor
Net weight(Head only)		46Kg		53Kg


NOTE

- (1) Speed depends on threads, materials and type of operation
 (2) Specifications subject to change without notice
 (*) Max. sewing speed for "TA" machines are 1600 s.p.m.



LLW / LLWH two needle series

High speed, Extra long (18 inch) arm, Large vertical axis hook, Compound feed and walking foot, Coarse stitch, Lockstitch machines



LLW-28BL/CS-TA

Variety




LLW-28BL/CS
Reverse stitch



LLW-28BLC/CS
Reverse stitch, thread trimmer




LLWH-28BL/CS
Reverse stitch, high arm(47 mm extra height)



LLWH-28BL/CS

Applications

- For sewing medium to heavy weight fabrics, leather, vinyl, synthetics, laminated and coated materials.
- Suitable for canvas, tents, awnings, tarpaulins, upholstery, automotive trim, etc.



LLW / LLWH two needle series

Features

- 18 inch long arm.
- Large vertical axis hook.
- Semi-Automatic lubrication system.
- Automatic hook lubrication.
- Safety clutch prevents the hook from being damaged.
- Longer stitch length 10 mm (except thread trimming machine).
- Reverse stitching.
- Available in "Thick Thread Version"(for heavier material) add suffix "TA" when ordering.
- Synchronized cloth puller available (add suffix "R").
- Automatic back tack (BT) and foot lift (FL) available.
- Single needle version available.



Specifications (LLW-□)

Variety		28BL/CS	28BLC/CS	LLWH-28BL/CS
Number of needle		Two needle		
Max. sewing speed		2,200(s.p.m.)		2,000(s.p.m.)
Max. stitch length		25/64" (10 mm)	5/16" (8 mm)	25/64" (10 mm)
Clearance under presser foot	by knee	19/32" (15 mm)		
	by hand	5/16" (8 mm)		
Needle bar stroke		1-25/64" (35.4 mm)		
Needle(standard)		DPx17 (#22) , 135x17 (#140)		
Thread		#8 (standard)		
Hook		Large vertical axis hook		
Amount of lift of walking foot		3/32"-9/32" standard 9/64" (2.5 - 7 mm) (standard 3.5 mm)	1/8"-15/64" standard 5/32" (3 - 6 mm) (standard 4 mm)	3/32"-9/32" standard 9/64" (2.5 - 7 mm) (standard 3.5 mm)
Thread take up lever		Slide type		
Lubrication		Semi-Automatic lubrication		
Bed size		28-17/64" x 7" (718 x 177 mm)		
Working space		18-1/32" x 4-21/64" (458 x 110 mm)		18-1/32" x 6-3/16" (458 x 157 mm)
Motor		Clutch motor	AC Servo motor	Clutch motor
Net weight(Head only)		46Kg		53Kg

NOTE: (1) Speed depends on threads, materials and type of operation

(2) Specifications subject to change without notice

(*) Max. sewing speed for "TA" machines are 1600 s.p.m.

Needle gauge list

Variety	Needle gauge size
LLW-28BL/CS LLWH-28BL/CS	1/8"(3.2 mm), 3/16"(4.8 mm), 7/32"(5.6mm), 1/4"(6.4 mm), 5/16"(7.9mm), 3/8"(9.5mm), 7/16"(11.1mm) 1/2"(12.7mm), 9/16"(14.3mm), 5/8"(15.9mm), 3/4"(19.1mm), 7/8"(22.2mm), 1"(25.4mm), 1-1/4"(31.8mm) 1-1/2"(38.1mm) standard : 1/4"(6.4 mm)
LLW-28BLC/CS	3/16"(4.8 mm), 7/32"(5.6mm), 1/4"(6.4 mm), 5/16"(7.9mm), 3/8"(9.5mm), 7/16"(11.1mm), 1/2"(12.7mm) 9/16"(14.3mm), 5/8"(15.9mm), 3/4"(19.1mm), 7/8"(22.2mm), 1"(25.4mm) standard : 1/4"(6.4 mm)



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sob@nt-rt.ru || сайт: <https://seiko.nt-rt.ru/>