

Цилиндрические швейные машины серии LSC

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sob@nt-rt.ru || сайт: <https://seiko.nt-rt.ru/>

LSC series

Single needle, High speed, Narrow Cylinder bed, Horizontal axis hook, Compound feed and walking foot, Lockstitch machines



LSC-8B-1

Variety



LSC-8B-1

Standard hook, reverse stitch



LSC-8BV-1

Standard hook, reverse stitch, synchronized binder



LSC-8BL-1

Large hook, reverse stitch



LSC-8BLV-1

Large hook, reverse stitch, synchronized binder




LSC-8BLH-1

Large hook, reverse stitch, horizontal feed




LSC-8BHC

Standard hook, reverse stitch, thread trimmer, horizontal feed




LSC-8BLV-1



Synchronized binder

Applications

- For sewing medium to heavy weight fabrics, leather, vinyl, synthetics and laminated and coated materials.
- Suitable for tubular and curved products with narrow openings such as hats, caps, shoes, bags, handbags, etc.



LSC series

Gauge Parts (LSC-□V/H)

Gauge Parts Number	Needle Plate	Feed Dog	Inside Foot	Outside Foot	Remarks		
V - 1	17089	17073	17086	17083	Standard Left side from needle dropping point is 9 mm		
V - 2	17090	17074	17087	17084	Left side from needle dropping point is 7 mm		
V - 3	17091-A	17075-A	17108	17083	L Type		
V - 4	170380	17073	17390	17083	Standard for thread trimmer Left side from needle dropping point is 9 mm		
V - 5	170381	17074	17391	17084	For thread trimmer Left side from needle dropping point is 7 mm		
V - 6	17089	17561	17086	17083	Large hook Left side from needle dropping point is 9 mm		
V - 7	17090	17562	17087	17084	Large hook Left side from needle dropping point is 7 mm		
H - 1	17089-A	17073-A	17086-A	17083-A	Standard For pouched products in general		
H - 2	17113	17105	17086-B1	17083-B1	For pouched products in general		
H - 3	17113	17105	17086-B2	17083-B2	For piping work (right)		
H - 4	17113	17105	17086-B3	17083-B3	For piping work (left)		
H - 5	17113-B5	17105-B5	17086-B5	17083-B5	Auxiliary needle plate	Especially for sewing pouched products	
					17112-B5		
H - 6	17089A8	17565	17086-A	17083-A	Large hook		
H - 7	17383	17400	17392	17083-B1	For thread trimmer		


(Note) 17089A8 (needle plate), 17073A8 (feed dog) are also used with inside foot and outside foot of H-2.

Various kinds of gauge parts are available besides above illustrated types.


LSC series

For V series


V - Needle plate (mm)




V - Feed dog (mm)




V - Inside foot (mm)



V - Outside foot (mm)




For LSC-8BV




The above parts are to be used for acceptance of binder on LSC-8BH

13260C




For H series


H - Needle plate (mm)




H - Feed dog (mm)




H - Inside foot (mm)



H - Outside foot (mm)



For LSC-8BH



When using gauge parts in H series, the upper plate (No.17078A) for LSC-8BH is to be used for LSC-8BV.

Features

- Narrow cylinder bed 1-13/16"(46 mm) dia.
* Large hook machines : 1-31/32"(50 mm) dia.
- Semi-automatic lubrication system.
- Horizontal axis hook (standard or large capacity hook).
- Reverse stitching.
- Thread trimmer. (-8BHC)
- Compound feed and walking foot mechanism assures even feeding of several piles or of slippery materials.
- Synchronzied binder. (-8BV-1, -8BLV-1)
- Automatic back tack (BT) and foot lift (FL) available.
- Various gauge sets available.



LSC-8B-1



Specifications (LSC-□)

Variety		8B-1	8BV-1	8BL-1	8BLV-1	8BLH-1	8BHC
Number of needle		Single needle					
Max. sewing speed		2,300(s.p.m.)	2,500(s.p.m.)	2,200(s.p.m.)			2,500(s.p.m.)
Max. stitch length		15/64" (6 mm)		9/32" (7 mm)		15/64" (6 mm)	
Clearance under presser foot	by pedal	33/64" (13 mm)					33/64" (13 mm)
	by hand	5/16" (8 mm)					9/32" (7 mm)
Needle bar stroke		1-5/16" (33.2 mm)					
Needle(standard)		DPx17 (#18) 135x17 (#110)	DPx17 (#16) 135x17 (#100)	DPx17 (#18) 135x17 (#110)	DPx17 (#16) 135x17 (#100)		DPx17 (#18) 135x17 (#110)
Thread		#20 (standard)	#30 (standard)	#20 (standard)	#30 (standard)		#20 (standard)
Hook		Horizontal axis hook					
Amount of lift of walking foot		1/8"-15/64" standard 5/32" (3 - 6 mm) (standard 4 mm)					
Thread take up lever		Slide type					
Lubrication		Semi-automatic lubrication					
Cylinder size		1-13/16" (46 mm) dia.		1-31/32" (50 mm) dia.			1-13/16" (46 mm) dia.
Working space		10-5/32"x 4-21/64" (258 x 110 mm)					
Motor		Clutch motor					AC servo motor
Net weight(Head only)		29Kg					30Kg
Feeding system		elliptical	horizontal	elliptical	horizontal		

NOTE: (1) Speed depends on threads, materials and type of operation
(2) Specifications subject to change without notice





По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sob@nt-rt.ru || сайт: <https://seiko.nt-rt.ru/>