

Плоскошовные швейные машины серий LSWN-8, LSWN-28, LSWN-46, LSWN-48

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sob@nt-rt.ru || сайт: <https://seiko.nt-rt.ru/>

LSWN series

High speed, Large vertical axis hook, Reverse stitch, Compound feed and walking foot, Lockstitch machines



LSWN-8BL-2

Variety



LSWN-8BL-2

Single needle, compound feed and walking foot, reverse stitch




LSWN-8BLV-2

Single needle, compound feed and walking foot, reverse stitch, synchronized binder



LSWN-28BL-2

Two needle, compound feed and walking foot, reverse stitch



LSWN-8BLV-2



Open/close simplified face plate and upper feed mechanism



Large pulley (O.D. 150mm)

Applications

- For sewing medium to heavy weight fabrics, leather, vinyl, synthetics and laminated and coated materials.
- Suitable for sewing such as boat and furniture upholstery, tarpaulins, covers, awnings, tents, umbrellas, handbags, luggage, travelware accessories, sports and camping equipment, wearing apparel, outdoor clothing, footwear, foundation garments and orthopedic appliances.



Features

- Totally renewed external appearance./adoption of advanced and massive arm design (realizing lower noise/less vibration).
- Improved exposure of arm-feeding mechanism components which provides safety environment.(mechanical part of alternating presser foot, foot lifter mechanism(knee lifter) and presser foot spring relevant parts)
Plain needle drop area/adoption of open/close simplified face plate which provides wide-ranged movement of sewn material.
- Adoption of feed-adjusting dial which eases determination process of stitch length.
- Advanced penetration required for sewing of thick material/adoption of large pulley(O.D. 150mm) which enables the needle bar to be positioned properly.
- Elongated work space/adoption of built-in bobbin winder which no longer require mounting process.
- Adoption of die-casting oil pan of which by-knee-lifter is built-in, aiming at efficient installment
- Standard equipment of long stitch (max.10mm) suitable for thick material and amount of alternative presser lift (max. 6mm)
- Large vertical axis hook (Automatic hook lubrication).
- Safety clutch prevents the hook from being damaged.
- Available in "THICK THREAD VERSION"(for heavier material). Add suffix "TA" when ordering.
- Available "3 INCH" needle gauge machine.
- 18 inch long arm version available (LLW series).



Built-in bobbin winder



Feed-adjusting dial

Specifications (LSWN-□)

Variety		8BL-2	8BLV-2	28BL-2
Number of needle		Single needle		Two needle
Max. sewing speed		2,800(s.p.m.)	2,500(s.p.m.)	2,600(s.p.m.)
Max. stitch length		25/64" (10 mm)	1/4" (6.2 mm)	25/64" (10 mm)
Clearance under presser foot	by knee	5/8" (16 mm)	15/32" (12 mm)	33/64" (13 mm)
	by hand	21/64" (8.5 mm)	21/64" (8.5 mm)	21/64" (8.5 mm)
Needle bar stroke		1-5/16" (33.2 mm)		
Needle(standard)		DPx17 (#22) , 135x17 (#140)		
Thread		#8 (standard)		
Hook		Large vertical axis hook (2.0 times)		
Amount of lift of walking foot		1/8"-15/64" standard 5/32" (3 - 6 mm) (standard 4 mm)		
Thread take up lever		Slide type		
Lubrication		Semi-automatic type		
Bed size		20-25/64"x 7" (518 x 177 mm)		
Working space		10-5/32"x 4-21/64" (258 x 110 mm)		
Motor		Clutch motor		
Net weight(Head only)		42.5Kg	44.5Kg	45Kg

NOTE (1) Speed depends on threads, materials and type of operation
(2) Specifications subject to change without notice

Needle gauge list


Variety	Needle gauge size
28BL	1/4"(6.4 mm), 5/16"(7.9mm), 3/8"(9.5mm), 1/2"(12.7mm), standard : 1/4"(6.4 mm)



LSWN -48BL (& 46BLR)

Four(4) needle, High speed, Large vertical axis hook, Reverse stitch, Compound feed and walking foot, Lockstitch machines

〈 PATENT PENDING 〉



LSWN-48BL




LSWN-46BLR

Lower feed & Puller feed

Applications

- For sewing medium weight fabrics, leather, vinyl, synthetics and laminated and coated materials.
- Suitable for sewing such as boat and furniture upholstery, parachutes, tarpaulins, covers, awnings, tents, sports and camping equipment, wearing apparel, outdoor clothing, footwear, foundation garments etc.



Features

- Totally renewed external appearance./adoption of advanced and massive arm design (realizing lower noise less vibration).
- Uniform stitching of long runs by compound and walking foot mechanism, without cloth puller.
- Adoption of feed-adjusting dial which eases determination process of stitch length.
- Advanced penetration required for sewing of thick material/adoption of large pulley(O.D. 150mm) which enables the needle bar to be positioned properly.
- Elongated work space/adoption of built-in bobbin winder which no longer require mounting process.
- Adoption of die-casting oil pan of which by-knee-lifter is built-in, aiming at efficient installment
- Standard equipment of long stitch (max.10mm) suitable for thick material and amount of alternative presser lift (max. 6mm)
- Large vertical axis hook (Automatic hook lubrication).
- Safety clutch prevents the hook from being damaged.



sewn stitch 1/4"-5/16"-1/4"



Feed-adjusting dial

Specifications (LSWN-48BL & 46BLR)

Variety		LSWN-48BL	LSWN-46BLR
Number of needle		Four(4) needle	
Max. sewing speed		2500(s.p.m.)	
Max. stitch length		25/64" (10 mm)	1/4" (6 mm)
Clearance under presser foot	by knee	33/64" (13 mm)	
	by hand	21/64" (8.5 mm)	
Needle gauge Standard		1/4"-5/16"-1/4" (6.4mm × 8mm × 6.4mm)	
Needle gauge (option)		1/4"-1/4"-1/4" (6.4 × 6.4 × 6.4)mm and 1/4"-3/8"-1/4" (6.4 × 9.6 × 6.4)mm	
Needle bar stroke		1-5/16" (33.2 mm)	
Needle(standard)		DPx17 (#22) , 135x17 (#140)	DPx17 (#19)
Thread		#8 (standard)	#30(standard)
Hook		Large vertical axis hook (2.0 times)	
Amount of lift of walking foot		1/8"-15/64" standard 5/32" (3 - 6 mm) (standard 4 mm)	—
Thread take up lever		Slide type	
Lubrication		Semi-automatic type	
Bed size		20-25/64"x 7" (518 x 177 mm)	
Working space		10-5/32"x 4-21/64" (258 x 110 mm)	
Motor		Clutch motor	
Net weight(Head only)		46Kg	45Kg

NOTE (1) Speed depends on threads, materials and type of operation
(2) Specifications subject to change without notice



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sob@nt-rt.ru || сайт: <https://seiko.nt-rt.ru/>